L Number	Hits	Search Text	DB	Time stamp
1	2	("6,314,451").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:04
2	2	("6564260").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:06
3	10213	((709/220,203,223) or (717/103-109,114-116,120,168-178)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:09
-	187	(@ad<=20010308 or @rlad<=20010308) and (XML same (author$4 or (generate near4 requirement))) and (client same (server near4 request$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:54
-	185	(((receiv$4 or retriev$4 or transmit$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download$4 adj2 file))) and ((build$4 or generat$4) near4 (code or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:01
-	5	((@ad<=20010308 or @rlad<=20010308) and (XML same (author$4 or (generate near4 requirement))) and (client same (server near4 request$3))) and ((((receiv$4 or retriev$4 or transmit$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download$4 adj2 file))) and ((build$4 or generat$4) near4 (code or application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:50
-	84	(((@ad<=20010308 or @rlad<=20010308) and (XML same (author$4 or (generate near4 requirement))) and (client same (server near4 request$3))) or ((((receiv$4 or retriev$4 or transmit$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download$4 adj2 file))) and ((build$4 or generat$4) near4 (code or application)))) and (((XML or authoring or metadata or specification or definition) adj2 (document or file)) same ((creat$4 or buil$4 or generat$4 or compil$3) near4 (application or program or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:53
-	41	(@ad<=20010308 or @rlad<=20010308) and ((((@ad<=20010308 or @rlad<=20010308) and (XML same (author$4 or (generate near4 requirement))) and (client same (server near4 request$3))) or ((((receiv$4 or retriev$4 or transmit$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download$4 adj2 file))) and ((build$4 or generat$4) near4 (code or application)))) and (((XML or authoring or metadata or specification or definition) adj2 (document or file)) same ((creat$4 or buil$4 or generat$4 or compil$3) near4 (application or program or code)))) and (client same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:28

-	253	(@ad<=20010308 or @rlad<=20010308) and ((@ad<=20010308 or @rlad<=20010308) and (XML same (author$4 or (generate near4 requirement))) and (client same (server near4 request$3))) or ((((receiv$4 or retriev$4 or transmit$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download$4 adj2 file))) and ((build$4 or generat$4) near4 (code or application))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:59
-	17	((@ad<=20010308 or @rlad<=20010308) and ((@ad<=20010308 or @rlad<=20010308) and (XML same (author$4 or (generate near4 requirement))) and (client same (server near4 request$3))) or ((((receiv$4 or retriev$4 or transmit$4) near8 (XML near9 file)) or ((client near6 agent) near8 (download$4 adj2 file))) and ((build$4 or generat$4) near4 (code or application))))) and (client same ((integrat$4 or combin$3 or use$2) near8 ((XML or definition or metadata) adj2 file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:13
-	1	((build$4 or creat$4 or develop$4 or generat$4) adj4 (application or script)) same ((received or downloaded) adj2 ((metadata or XML or definition) adj2 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:17
-	2	((build$4 or creat$4 or develop$4 or generat$4) adj4 (application or script)) same ((received or downloaded or retrieved or transmitted) adj2 ((metadata or XML or definition or user-defined) adj2 (file or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:18
-	3	((build$4 or creat$4 or develop$4 or generat$4) adj4 (application or script)) same ((received or downloaded or retrieved or transmitted) adj2 ((metadata or XML or definition or user-defined) near4 (file or information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:24
-	22	5361360.URPN.	USPAT	2004/04/14 17:04
-	157	(client near4 (agent or daemon or API)) same ((install$4 or download$4 or distribut$4 or receiv$4 or retriev$4) near8 ((XML or server) adj5 (file or XML or information or metadata or (configuration adj3 data))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:28
-	12	((client near4 (agent or daemon or API)) same ((install$4 or download$4 or distribut$4 or receiv$4 or retriev$4) near8 ((XML or server) adj5 (file or XML or information or metadata or (configuration adj3 data))))) and 717/$ and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:30
-	5	(agent same ((download$4 or install$4) near8 file)).ab. and 717/$ and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:43
-	8	Lawrence near3 Shrader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:07
-	1	(Lawrence near3 Shrader) and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:08

-	8	("5937409" | "5991534" | "6023271" | "6026405" | "6167453" | "6237135" | "6269373" | "6502112").PN.	USPAT	2004/04/14 17:11
-	26	(agent same ((download$4 or install$4) near8 file)) and (@ad<=20010308 or @rlad<=20010308) and (framework or ((generat$4 or develop$4 or creat$4) near8 (application or code or program or script))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:33
-	2	((agent same ((download$4 or install$4) near8 file)) and (@ad<=20010308 or @rlad<=20010308) and (framework or ((generat$4 or develop$4 or creat$4) near8 (application or code or program or script))).ab.) and XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 17:33
-	22	(US-6635089-$ or US-6631519-$ or US-5361360-$ or US-5835777-$ or US-5793982-$ or US-5625844-$ or US-6633898-$ or US-6535911-$ or US-6466967-$ or US-6167567-$ or US-5933647-$ or US-6665861-$ or US-6237135-$ or US-6615405-$ or US-6564260-$ or US-6418450-$ or US-6370508-$).did. or (US-20020129129-$ or US-20020062369-$ or US-20020010910-$ or US-20020083468-$ or US-20010044676-$).did.	USPAT; US-PGPUB	2004/04/15 09:56
-	0	((US-6635089-$ or US-6631519-$ or US-5361360-$ or US-5835777-$ or US-5793982-$ or US-5625844-$ or US-6633898-$ or US-6535911-$ or US-6466967-$ or US-6167567-$ or US-5933647-$ or US-6665861-$ or US-6237135-$ or US-6615405-$ or US-6564260-$ or US-6418450-$ or US-6370508-$).did. or (US-20020129129-$ or US-20020062369-$ or US-20020010910-$ or US-20020083468-$ or US-20010044676-$).did.) and Blosch.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:59
-	2	((US-6635089-$ or US-6631519-$ or US-5361360-$ or US-5835777-$ or US-5793982-$ or US-5625844-$ or US-6633898-$ or US-6535911-$ or US-6466967-$ or US-6167567-$ or US-5933647-$ or US-6665861-$ or US-6237135-$ or US-6615405-$ or US-6564260-$ or US-6418450-$ or US-6370508-$).did. or (US-20020129129-$ or US-20020062369-$ or US-20020010910-$ or US-20020083468-$ or US-20010044676-$).did.) and Blo$5.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:25
-	1705	((deploy$4 or implement$4) near5 (application or software)) and (((integrat$4 or assembl$4) near4 files) or ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:33
-	238	((deploy$4 or implement$4 or develop$4 or generat$4) near5 (application or software)) and ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)) and (client same server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:35

-	147	(((deploy$4 or implement$4) near5 (application or software)) and (((integrat$4 or assembl$4) near4 files) or ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)))) and ((deploy$4 or implement$4 or develop$4 or generat$4) near5 (application or software)) and ((receiv$4 or download$4) near3 ((text or XML) adj3 file)) and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:36
-	12	(((deploy$4 or implement$4 or develop$4 or generat$4) near5 (application or software)) and ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)) and (client same server)) and ((integrat$4 or combin$3 or assembl$4) near8 ((XML or text or metadata) adj2 file)) and (@ad<=20010308 or @rlad<=20010308)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:39
-	30	((((deploy$4 or implement$4) near5 (application or software)) and (((integrat$4 or assembl$4) near4 files) or ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)))) and ((deploy$4 or implement$4 or develop$4 or generat$4) near5 (application or software)) and ((receiv$4 or download$4) near3 ((text or XML) adj3 file)) and (@ad<=20010308 or @rlad<=20010308)) and (XML same files)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:39
-	1	((((deploy$4 or implement$4 or develop$4 or generat$4) near5 (application or software)) and ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)) and (client same server)) and ((integrat$4 or combin$3 or assembl$4) near8 ((XML or text or metadata) adj2 file)) and (@ad<=20010308 or @rlad<=20010308)) and (((((deploy$4 or implement$4) near5 (application or software)) and (((integrat$4 or assembl$4) near4 files) or ((receiv$4 or download$4) near3 ((text or XML or specification or metadata) adj3 file)))) and ((deploy$4 or implement$4 or develop$4 or generat$4) near5 (application or software)) and ((receiv$4 or download$4) near3 ((text or XML) adj3 file)) and (@ad<=20010308 or @rlad<=20010308)) and (XML same files))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:36